



Anti-Fatigue Mat Pebble Step Sof-Tred™ Dyna-Shield® 415

Product Images





Short Description

Foam anti-fatigue pebble surface with highest wear and strength

Description

Pebble Step Sof-Tred™ with Dyna-Shield® is an anti-fatigue mat that is designed to provide traction with its non-directional pebble embossed top surface that allows for sure footing and is easy to sweep clean. The

NoTrax® exclusive Dyna-Shield® PVC foam is manufactured with a tough protective barrier top layer that provides long lasting wear and outperforms the competition in tear resistance and tensile strength. Dyna-Shield® products are more resistant to wear than traditional sponge matting. Designed for use in medium duty dry work areas.

Specifications

Model No	415
Brand	NoTrax
Available Colors	Black; Black/Yellow
Cut to Length Width	2' x Specify Length, 3' x Specify Length, 4' x Specify Length
Thickness	3/8", 5/8"
Overall Thickness	3/8; 5/8
Roll Sizes	3/8" x 2'x 60'; 3/8" x 3'x 60'; 3/8" x 4'x 60'; 5/8" x 2'x 60'; 5/8" x 3'x 60'; 5/8" x 4'x 60'
Custom Lengths	2', 3' and 4' widths (up to 60' long)
Stock Sizes	3/8" x 2'x 3'; 3/8" x 2'x 6'; 3/8" x 3'x 4'; 3/8" x 3'x 5'; 3/8" x 3'x 6'; 3/8" x 3'x 12'; 5/8" x 2'x 3'; 5/8" x 2'x 6'; 5/8" x 3'x 4'; 5/8" x 3'x 5'; 5/8" x 3'x 6'; 5/8" x 3'x 12'
Group	Ergonomic, Anti-fatigue & Safety Matting
Area	Dry Areas
Special Characteristics	Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals
Recommended Use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
Sales Tip	With Dyna-Shield® - The only mid-priced/high performance anti-fatigue sponge mat available with durability approaching that of competitive "laminated" mats. Extends service life by 50%.
Edges	Beveled edges on all sides
Usage Intensity	Medium duty
Custom Description	Available in stock and rolls sizes and in custom lengths. Available colors in black/yellow and black
Cleaning Remark	Sweep regularly or dry mop the surface and the back of the mat. The surface can be damp-mopped with a mild soap/detergent.
Material Specifications	Closed Cell Polyvinylchloride
Surface Detail	Structured Pebble Pattern

Mat Type	Roll, Runner, Work Station, Cut to Length
Backing	Closed Cell Polyvinylchloride
Process	Foaming
Weight Lbs/sqft	0.66
Fire Rating US	Pass
REACH Compliant	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Anti-Fatigue Performance	Better
Slip Resistance	Better
Wear Resistance	Better

Product Options

Color:	Black/Yellow
	Black
Dimensions:	2ft x Specify Length
	3ft x 5ft
	3ft x Specify Length
	4ft x Specify Length
	2ft x 3ft
	3ft x 60ft
	2ft x 60ft
	4ft x 60ft
	3ft x 4ft
	3ft x 6ft
	3ft x 12ft
	2ft x 6ft
thickness_filter:	3/8in
	5/8in